

918

PTFE POLISH



Description

- PTFE-based polish cream for a shiny finish on painted surfaces.
- Leaves a long lasting protective film and also gives a water-repellent effect.
- Polish particularly recommended for darker colors.

Product information

Composition	Contains Hydrocarbons, C9-C11, n-alkanes, isoalkanes, Cyclics, <2% aromatics.
Appearance/ Odour	liquid, cream / solvent
pH	N.A
Density	N.A
Flash point	38°C (100.4°F)
Transport N° ONU	N.A
Storage	In its original packaging, keep away from sources of heat.
Packaging	500ml

Directions for use

Compatibility / supports	Painted Surfaces
Méthodes	<ul style="list-style-type: none"> - Shake before use. - Apply on a clean and dry surface. - Apply the product pure, with a microfiber, polish in circles. - Leave to dry, then polish with a clean dry cloth or buffing machine, make sure the rotating speed is fast enough to «warm» the PTFE molecules (the WFCL requires a certain amount of heat to be active) but not too fast, to avoid the risk of burning the same molecules and make them ineffective.

SAFETY DATA SHEET AVAILABLE ON REQUEST

Always refer to the descriptions on labels. Keep out of reach of children. Respect the conditions of use.

Precautions for use

- Before use: Always perform a test on a small surface. NB. Do not use on hot surfaces. Do not throw away the empty container in the house bin.

